

#### **Certificate of Analysis**

COA No: CA BEM-0013

Version: 01

# MyTaq™ HS DNA Polymerase

For Research Use Only

Storage -20°C Conditions:

Lot number: MTH-314504

Expiry date: April 2016

## **Quality Control Parameters**

Analysis	Specification	Result
Functional	Fragments of sizes 525bp, 750bp, 900bp and 1300bp are amplified with a dilution series of human genomic DNA, using standard conditions and 35 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed

Authorised by Jade James

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 Europe Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 <u>America</u>

info.us@bioline.com Tel: +1 508 880 8990 Fax: +1 508 880 8993 <u>Australia</u>

info.aust@bioline.com Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763



#### **Certificate of Analysis**

COA No: CA BB-0025

Version: 01

## MyTaq™ Reaction Buffer

For Research Use Only

Storage Conditions: -20°C

Lot number: MTB-314204

Expiry date: April 2016

## **Quality Control Parameters**

Analysis	Specification	Result
Functional	Fragment of size 1200bp was amplified with a dilution series of human genomic DNA, using standard conditions and 35 cycles.  Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed

Authorised by Jade James

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 Europe Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 <u>America</u>

info.us@bioline.com Tel: +1 508 880 8990 Fax: +1 508 880 8993 <u>Australia</u>

info.aust@bioline.com Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763