

COA No: CA_BSM-0018

Version: 01

SensiFAST™ SYBR Lo-ROX One-Step Kit

For Research Use Only

| Storage Conditions: | -20°C |
|------------------------|---------------|
| Lot number: | SFSL1S-314107 |
| Expiry date: | July 2016 |

Quality Control Parameters

| Analysis | Specification | Result |
|---------------------|---|--------|
| Functional | Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq and melting profiles must be consistent for the test and reference sample with 0.5+/- Cq variance. | Passed |
| DNA contamination | Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample. | Passed |
| DNase contamination | Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37° C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase I. | Passed |
| RNase contamination | Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ μ l RNase. | Passed |

Authorised by Jade James

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 Europe Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 <u>America</u>

<u>Australia</u>



COA No: CA BE-0031

Version: 01

RNase Inhibitor

Storage Conditions:

-20°C

Lot number:

RI-414107

For Research Use Only Expiry date:

July 2016

Quality Control Parameters

| Analysis | Specification | Result |
|------------|---|--------|
| Inhibition | Test level of inhibition by incubating total RNA with concentration | Passed |
| | gradient of RNase A. Bands were observed with agarose gel | |
| | electrophoresis (ethidium stained). | |

Authorised by Jade James

Europe Headquarters UK



COA No: CA_BEM-0010

Version: 01

Reverse Transcriptase

For Research Use Only

| Storage Conditions: | -20°C |
|------------------------|------------|
| Lot number: | RTS-414107 |
| Expiry date: | July 2016 |

Quality Control Parameters

| Analysis | Specification | Result |
|---------------------|---|--------|
| Functional | Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq and melt profiles must be consistent for the test and reference sample with 0.5+/- Cq variance. | Passed |
| DNA contamination | Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample. | Passed |
| DNase contamination | Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase I. | Passed |
| RNase contamination | Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ μ l RNase. | Passed |

Authorised by Jade James

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 <u>Europe</u> Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 **America**

<u>Australia</u>

Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763



COA No: CA_BS-0020

Version: 01

DEPC Water

Storage Conditions:

-20°C

Lot number:

DWT-314103

For Research Use Only

Expiry date: July 2016

Quality Control Parameters

| Analysis | Specification | Result |
|---------------------|---|--------|
| DNA contamination | Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample. | Passed |
| DNase contamination | Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase I. | Passed |
| RNase contamination | Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ μ l RNase. | Passed |

Authorised by Jade James

Europe Headquarters UK