



## Certificate of Analysis

COA No: CA BN-0006

Version: 03

### dATP 100mM

For Research Use Only

Storage Conditions:	-20°C
Lot number:	DA-415103
Expiry date:	April 2017

### Quality Control Parameters

#### 2'-deoxyadenosine-5'-triphosphate Lithium Salt



MW = 514.916 g /mol

Characteristics	Specification	Result
Concentration (at $\lambda_{\text{max}}$ , pH 7.0, $\epsilon = 15400 \text{ M}^{-1} \times \text{cm}^{-1}$ )	100 mM $\pm$ 5%	101.9 mM
pH of Solution(at 20°C)	7.5 – 8.0	7.51
$\lambda_{\text{max}}$ (at pH 7.0)	259 $\pm$ 1 nm	259.5 nM
A250/A260	0.78 $\pm$ 0.03	0.78
A280/A260	0.15 $\pm$ 0.02	0.14
Purity: dATP (HPLC Area % at $\lambda_{\text{max}}$ )	$\geq$ 99%	99.5%
Impurities: dNDP + dNMP (HPLC Area % at $\lambda_{\text{max}}$ )	<1%	0.5%
Appearance	Clear colourless solution	Passed

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



## Certificate of Analysis

COA No: CA BN-0006

Version: 03

Analysis	Specification	Result
Functional	A 3Kb Lambda DNA fragment is amplified with a dilution series of dATP, using standard conditions and 30 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase / RNase / Nicking Activity	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed
	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7 \times 10^{-3}$ ng/ $\mu$ l RNase.	Passed
	Incubation of dATP with supercoiled control plasmid. Analysed by agarose gel electrophoresis. Test sample does not show an increase of linearized or relaxed plasmid.	Passed

Authorised by Kassie Hirani

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



## Certificate of Analysis

COA No: CA BN-0007

Version: 03

### dCTP 100mM

For Research Use Only

Storage Conditions:	-20°C
Lot number:	DC-315103
Expiry date:	April 2017

### Quality Control Parameters

#### 2'-deoxycytidine-5'-triphosphate Lithium Salt



MW = 490.891 g /mol

Characteristics	Specification	Result
Concentration (at $\lambda_{\text{max}}$ , pH 7.0, $\epsilon = 9100 \text{ M}^{-1} \times \text{cm}^{-1}$ )	100 mM $\pm$ 5%	101.0 mM
pH of Solution(at 20°C)	7.5 – 8.0	7.5
$\lambda_{\text{max}}$ (at pH 7.0)	272 $\pm$ 1 nm	272 nm
A250/A260	0.82 $\pm$ 0.03	0.80
A280/A260	0.98 $\pm$ 0.03	0.97
Purity: dCTP (HPLC Area % at $\lambda_{\text{max}}$ )	$\geq$ 99%	99.8%
Impurities: dNDP + dNMP (HPLC Area % at $\lambda_{\text{max}}$ )	<1%	Passed
Appearance	Clear colourless solution	Passed

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



A Meridian Life Science® Company

## Certificate of Analysis

COA No: CA BN-0007

Version: 03

Analysis	Specification	Result
Functional	A 3Kb Lambda DNA fragment is amplified with a dilution series of dCTP, using standard conditions and 30 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase / RNase / Nicking Activity	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed
	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7 \times 10^{-3}$ ng/ $\mu$ l RNase.	Passed
	Incubation of dCTP with supercoiled control plasmid. Analysed by agarose gel electrophoresis. Test sample does not show an increase of linearized or relaxed plasmid.	Passed

Authorised by Kassie Hirani

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



## Certificate of Analysis

COA No: CA BN-0008

Version: 03

### dGTP 100mM

For Research Use Only

Storage Conditions:	-20°C
Lot number:	DG-315103
Expiry date:	April 2017

### Quality Control Parameters

#### 2'-deoxyguanosine-5'-triphosphate Lithium Salt



MW = 530.916 g /mol

Characteristics	Specification	Result
Concentration (at $\lambda_{\text{max}}$ , pH 7.0, $\epsilon = 13700 \text{ M}^{-1} \times \text{cm}^{-1}$ )	100 mM $\pm$ 5%	102.5 mM
pH of Solution(at 20°C)	7.5 – 8.0	7.6
$\lambda_{\text{max}}$ (at pH 7.0)	252 $\pm$ 1 nm	253 nm
A250/A260	1.16 $\pm$ 0.05	1.16
A280/A260	0.66 $\pm$ 0.03	0.67
Purity: dNTP (HPLC Area % at $\lambda_{\text{max}}$ )	$\geq$ 99%	99.6%
Impurities: dNDP + dNMP (HPLC Area % at $\lambda_{\text{max}}$ )	<1%	Passed
Appearance	Clear colourless solution	Passed

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



A Meridian Life Science® Company

## Certificate of Analysis

COA No: CA BN-0008

Version: 03

Analysis	Specification	Result
Functional	A 3Kb Lambda DNA fragment is amplified with a dilution series of dGTP, using standard conditions and 30 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase / RNase / Nicking Activity	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed
	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7 \times 10^{-3}$ ng/ $\mu$ l RNase.	Passed
	Incubation of dGTP with supercoiled control plasmid. Analysed by agarose gel electrophoresis. Test sample does not show an increase of linearized or relaxed plasmid.	Passed

Authorised by Kassie Hirani

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



## Certificate of Analysis

COA No: CA BN-0009

Version: 03

### dTTP 100mM

For Research Use Only

Storage Conditions:	-20°C
Lot number:	DT-415103
Expiry date:	April 2017

### Quality Control Parameters

#### 2'-deoxythymidine-5'-triphosphate Lithium Salt



MW = 505.903 g /mol

Characteristics	Specification	Result
Concentration (at $\lambda_{\text{max}}$ , pH 7.0, $\epsilon = 9500 \text{ M}^{-1} \times \text{cm}^{-1}$ )	100 mM $\pm$ 5%	101.1 mM
pH of Solution(at 20°C)	7.5 – 8.0	7.5
$\lambda_{\text{max}}$ (at pH 7.0)	267 $\pm$ 1 nm	267 nm
A250/A260	0.65 $\pm$ 0.03	0.64
A280/A260	0.73 $\pm$ 0.02	0.72
Purity: dTTP (HPLC Area % at $\lambda_{\text{max}}$ )	$\geq$ 99%	99.8%
Impurities: dNDP + dNMP (HPLC Area % at $\lambda_{\text{max}}$ )	<1%	0.2%
Appearance	Clear colourless solution	Passed

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763



## Certificate of Analysis

COA No: CA BN-0009

Version: 03

Analysis	Specification	Result
Functional	A 3Kb Lambda DNA fragment is amplified with a dilution series of dTTP, using standard conditions and 30 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase / RNase / Nicking Activity	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase.	Passed
	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7 \times 10^{-3}$ ng/ $\mu$ l RNase.	Passed
	Incubation of dTTP with supercoiled control plasmid. Analysed by agarose gel electrophoresis. Test sample does not show an increase of linearized or relaxed plasmid.	Passed

Authorised by Kassie Hirani

**Europe**  
Headquarters UK

[info.uk@bioline.com](mailto:info.uk@bioline.com)  
Tel: +44 (0)20 8830 5300  
Fax: +44 (0)20 8452 2822

**Europe**  
Germany

[info.de@bioline.com](mailto:info.de@bioline.com)  
Tel: +49 (0)3371 681 229  
Fax: +49 (0)3371 681 244

**America**

[info.us@bioline.com](mailto:info.us@bioline.com)  
Tel: +1 508 880 8990  
Fax: +1 508 880 8993

**Australia**

[info.aust@bioline.com](mailto:info.aust@bioline.com)  
Tel: +61 (0)2 9209 4180  
Fax: +61 (0)2 9209 4763