



Certificate of Analysis

COA No: CA RES-0009

Version: 01

Agarose Tablets

For Research Use Only

Storage Conditions: Room Temperature

Lot number: ES522-BO28040

Expiry date: 12 months from date of purchase

Quality Control Parameters

Analysis	Specification	Result
Solid appearance	White	Passed
Liquid appearance	Clear with low insolubles	Passed
Gel Strength, 1.0% gel	$\geq 1220\text{g/cm}$	Passed
Gelling Temperature	$37^{\circ}\text{C} \pm 2^{\circ}\text{C}$	Passed
Sulfate	$\leq 0.14\%$	Passed
Ash	$\leq 0.06\%$	Passed
Moisture Content	$\leq 8.5\%$	Passed
DNA Binding	None detected	Passed
RNase/DNase Activity	None detected	Passed

Authorised by Jade James

Europe
Headquarters UK

info.uk@bioline.com
Tel: +44 (0)20 8830 5300
Fax: +44 (0)20 8452 2822

Europe
Germany

info.de@bioline.com
Tel: +49 (0)3371 681 229
Fax: +49 (0)3371 681 244

America

info.us@bioline.com
Tel: +1 508 880 8990
Fax: +1 508 880 8993

Australia

info.aust@bioline.com
Tel: +61 (0)2 9209 4180
Fax: +61 (0)2 9209 4763