

COA No: CA\_BSM-0031

Version: 01

# SensiFAST™ Probe Lo-ROX One-Step Kit

For Research Use Only

Storage Conditions: -20°C

Lot number: SFPL1S-415207

Expiry date: August 2017

#### **Quality Control Parameters**

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq profiles must be consistent for the test and reference sample with 0.5+/- Cq variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ $\mu$ l RNase.	Passed

Authorised by Jade James

CHATCHTUS

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 Europe Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 <u>America</u>

\_\_\_\_\_

info.us@bioline.com Tel: +1 508 880 8990 Fax: +1 508 880 8993 <u>Australia</u>

info.aust@bioline.com Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763



COA No: CA BE-0031

Version: 01

# **RNase Inhibitor**

Storage Conditions:

-20°C

Lot number:

RI-515107

For Research Use Only

Expiry date: August 2017

## **Quality Control Parameters**

Analysis	Specification	Result
Inhibition	Test level of inhibition by incubating total RNA with concentration	Passed
	gradient of RNase A. Bands were observed with agarose gel	
	electrophoresis (ethidium stained).	

Authorised by Jade James

Europe Headquarters UK



COA No: CA\_BEM-0011

Version: 01

# **Reverse Transcriptase**

For Research Use Only

Storage Conditions:	-20°C
Lot number:	RTP-415307
Expiry date:	August 2017

### **Quality Control Parameters**

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq profiles must be consistent for the test and reference sample with 0.5+/- Cq variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ $\mu$ l RNase.	Passed

Authorised by Jade James

Europe Headquarters UK

info.uk@bioline.com Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 Europe Germany

info.de@bioline.com Tel: +49 (0)3371 681 229 Fax: +49 (0)3371 681 244 <u>America</u>

<u>Australia</u>



COA No: CA\_BS-0020

Version: 01

## **DEPC Water**

Storage Conditions:

-20°C

Lot number:

DWT-415107

For Research Use Only

Expiry date: August 2017

## **Quality Control Parameters**

Analysis	Specification	Result
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ $\mu$ l RNase.	Passed

Authorised by Jade James

Europe Headquarters UK