

Co-Precipitant Pink

Catalog number

Batch No.: See vial BIO-37075 : Co-Precipitant Pink (1.5 mL at 5 µg/µL)



A Meridian Life Science® Company

Storage and stability:

Co-Precipitant Pink is shipped ambient room temperature. On arrival store at room temperature for optimum stability.

Expiry:

When stored under the recommended conditions and handled correctly, full activity of the kit is retained until the expiry date on the outer box label.

Safety precautions:

Please refer to the material safety data sheet for further information.

Quality control specifications:

Co-Precipitant Pink and its components are extensively tested for efficiency, absence of nuclease contamination and absence of nucleic acid contamination prior to release.

Notes:

Research use only.

Features

- Up to 100% nucleic acid recovery
- Effective for fragments ≥ 25 bp
- Suitable for sequencing
- Free from DNA, RNA and protein
- Increases pellet mass and visibility
- Minimizes pellet loss

Applications

- DNA and RNA recovery

Description

Bioline's Co-Precipitant Pink (linear polyacrylamide) aids salt/alcohol precipitation of DNA and RNA.

Co-Precipitant Pink is suitable for most applications, including the precipitation of DNA for sequencing, DNA after enzymatic manipulations and RNA from different sources. It is free of nucleic acids, therefore, all resulting precipitates are suitable for standard PCR, RT-PCR and other enzymatic reactions and provide almost complete recovery of DNA/RNA fragments as small as 25bp.

Protocols

The following protocol is designed to precipitate DNA/RNA volumes ranging from 50 to 2000 µL per reaction.

Prior to alcohol precipitation:

1. It is strongly recommended to add 10x Co-Precipitant Pink Buffer (3M Sodium Acetate) supplied to a final concentration of 0.3M (1/10th of reaction volume). Other buffers with cation of user's choice can also be used at a concentration of 0.3 - 1 M.
2. Vortex.
3. Add 30 µg of Co-Precipitant Pink (6 µL).
4. Vortex.
5. Add 1 - 2.5 volumes of 96% EtOH (depending on fragment size).
Note: 0.7 - 1 volumes of Isopropanol can also be used but pellet may not adhere as firmly to side of reaction tube
6. Incubate at room temperature for 10 minutes.
7. Spin down at 14000rpm for 10 minutes.
8. Carefully remove supernatant.
9. Wash with 70% EtOH.
10. Spin down at 14000 rpm for 10 minutes.
11. Carefully remove all supernatant.
12. Dry pellet.
13. Resuspend in appropriate buffer.

Components

Product Name	Size
10x Co-Precipitant Pink Buffer	1 x 1.5 mL
Co-Precipitant Pink	1 x 1.5 mL

Associated Products

Product	Pack size	Cat. No.
SureClean Plus	1 x 5 mL	BIO-37042
Agarose, Molecular Grade	100 g	BIO-41025
HyperLadder™ 1 kb	200 Lanes	BIO-33025

Bioline Reagents Ltd
UNITED KINGDOM

Tel: +44(0)20 8830 5300
Fax: +44 (0)20 8452 2822

Bioline USA Inc.
USA

Tel: +1 508 880 8990
Fax: +1 508 880 8993

Bioline GmbH
GERMANY

Tel: +49(0)33 7168 1229
Fax: +49 (0)33 7168 1244

Bioline (Aust) Pty. Ltd
AUSTRALIA

Tel: +61 (0)2 9209 4180
Fax: +61 (0)2 9209 4763