

COA No: CA_BSM-0031

Version: 08

SensiFAST™ Probe Lo-ROX One-Step Kit

For research or further manufacturing use only

Catalog No:	BIO-78005	
Lot No:	SF623-B113600	
Storage Conditions:	-20°C	
Component Lot No:	SFPL1S-122112A	
Expiry date:	January 2025	

Quality Control Parameters

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq profiles must be consistent for the test and reference sample with \pm 0.5 Cq variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5 x 10 ⁻³ U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ μ L RNase.	Passed

QA / QC Representative:

Andrew Galeeba-M

United Kingdom

Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 <u>USA</u>

Tel: +1 901.382.8716 Fax: +1 901.382.0027 **Germany**

Tel: +49 (0)3371 60222 00 Fax: +49 (0)3371 60222 01 <u>Australia</u>

Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763

Date: 13th January 2023



COA No: CA_BEM-0011

Version: 07

Reverse Transcriptase

For research or further manufacturing use only

Catalog No:	BIO-78005
Lot No:	SF623-B113600
Storage Conditions:	-20°C
Component Lot No:	RTP-122212A
Expiry date:	January 2025

Quality Control Parameters

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 6 genes from a dilution series of mouse RNA under standard conditions. Cq profiles must be consistent for the test and reference sample with \pm 0.5 Cq variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ μ L RNase.	Passed

QA / QC Representative:

Andrew Galeeba-M

Date: 13th January 2023



COA No: CA_XBE-0031

Version: 08

RNase Inhibitor

Suitable for Research and further Manufacturing Use

Catalog No:	BIO-78005		
Lot No:	SF623-B113600		
Storage Conditions:	-20°C		
Component Lot No:	RI-122312A		
Expiry date:	January 2025		

Quality Control Parameters

Analysis	Specification	Result
Inhibition	Test level of inhibition by incubating total RNA with concentration gradient of RNase A. Bands were observed with agarose gel electrophoresis (ethidium stained).	Passed

QA / QC Representative:

Andrew Galeeba-M

Date: 13th January 2023

United Kingdom

Tel: +44 (0)20 8830 5300 Fax: +44 (0)20 8452 2822 <u>USA</u>

Tel: +1 901.382.8716 Fax: +1 901.382.0027 <u>Germany</u>

Tel: +49 (0)3371 60222 00 Fax: +49 (0)3371 60222 01 <u>Australia</u>

Tel: +61 (0)2 9209 4180 Fax: +61 (0)2 9209 4763



COA No: CA_XBS-0020

Version: 07

DEPC Water

For research or further manufacturing use only

Catalog No:	BIO-78005	
Lot No:	SF623-B113600	
Storage Conditions:	-20°C	
Component Lot No:	DWT-122912A	
Expiry date:	January 2025	

Quality Control Parameters

Analysis	Specification	Result
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection 9.7x10 ⁻³ ng/µL RNase.	Passed

QA / QC Representative:

Andrew Galeeba-M

Date: 13th January 2023