



Certificate of Analysis

COA No: CA_XBE-0001-2

Version: 08

MyTaq™ DNA Polymerase

For Research and Further Manufacturing use only

Catalog No:	BIO-21107
Lot No:	PL303-B126290
Storage Conditions:	-20°C
Component Lot No:	MT-324103A
Expiry date:	April 2026

Quality Control Parameters

Analysis	Specification	Result
Functional	A 3Kb fragment is amplified with a dilution series of human genomic DNA and a dilution series of enzyme, using standard conditions and 30 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase.	Passed

QA / QC Representative:

J. Rahnenführer

Date: 22nd March 2024**United Kingdom**Tel: +44 (0)20 8830 5300
Fax: +44 (0)20 8452 2822**USA**Tel: +1 901.382.8716
Fax: +1 901.382.0027**Germany**Tel: +49 (0)3371 60222 00
Fax: +49 (0)3371 60222 01

MyTaq™ Reaction Buffer


For research or further manufacturing use only

Catalog No:	BIO-21107
Lot No:	PL303-B126290
Storage Conditions:	-20°C
Component Lot No:	MTB-324303A
Expiry date:	April 2026

Quality Control Parameters

Analysis	Specification	Result
Functional	Fragment of size 1200bp was amplified with a dilution series of human genomic DNA, using standard conditions and 35 cycles. Single distinct bands were observed with agarose gel electrophoresis (ethidium stained).	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with a reference sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5×10^{-3} U DNase.	Passed

QA / QC Representative:



J. Rahnenführer

 Date: 22nd March 2024

United Kingdom

 Tel: +44 (0)20 8830 5300
 Fax: +44 (0)20 8452 2822

USA

 Tel: +1 901.382.8716
 Fax: +1 901.382.0027

Germany

 Tel: +49 (0)3371 60222 00
 Fax: +49 (0)3371 60222 01