

#### **Certificate of Analysis**

COA No: CA\_BEM-0025

Version: 02

# **SensiFast Reverse Transcriptase**

For Research Use Only

**Storage Conditions:** -20°C

Lot number: SRT-616106

Expiry date: July 2018

### **Quality Control Parameters**

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 4 genes from a dilution series of mouse RNA under standard conditions. Cq and melting profiles must be consistent for the test and reference sample with 0.5+/-Cq variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection $2.5 \times 10^{-3}$ U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ $\mu$ L RNase.	Passed

Authorised by Christopher Weatherall

<u>USA</u>

**France** 

<u>Australia</u>

**Singapore** 



#### **Certificate of Analysis**

COA No: CA\_BB-0050

Version: 02

## **5x TransAmp Buffer**

For Research Use Only

**Storage Conditions:** 

-20°C

Lot number:

TAB-616106

Expiry date:

July 2018

#### **Quality Control Parameters**

Analysis	Specification	Result
Functional	Quantitative PCR analysis amplifying 4 genes from a dilution series of mouse cDNA under standard conditions. cDNA was synthesised using the SensiFAST cDNA synthesis kit, using recommended conditions. Cq and melting profiles for the test must be within the reference variance.	Passed
DNA contamination	Quantitative PCR analysis with no template. Presence of <i>E. coli</i> and mouse genomic DNA checked. Test sample must amplify in line with control sample.	Passed
DNase contamination	Incubation of a 1Kb double stranded DNA fragment. Incubation for 4 hours at 37°C with dilution series of DNase I. Analysed by agarose gel electrophoresis. Test sample must show less degradation than the limit of detection 2.5 x 10 <sup>-3</sup> U DNase I.	Passed
RNase contamination	Quantitative PCR analysis with high and low RNase standards. Test sample must show less RNase activity than the limit of detection $9.7x10^{-3}$ ng/ $\mu$ L RNase.	Passed

Authorised by Christopher Weatherall



<u>USA</u>

**France**